

DESCRIPTION:

EPN 250 Nylon cable glands provide the highest degree of functionality and safety. The sealing nut is designed to provide a perfect grip and effortless spanner-tight seal. The multiple thread design makes for secure and rapid assembly while the neoprene seal provides a perfect watertight seal to IP68. The blade system enables optimal strain relief and cable protection to be achieved, combined with a wide clamping range.

SPECIFICATION:

MATERIAL: Polyamide 6

PROTECTION CLASS: IP 685 Bar

TEMPERATURE RANGE: 30°C to +80°C

OPERATING TEMPERATURE: Up to +150°C

SEALING RING: Neoprene

APPROVALS: UL, CSA & VDE approved. Manufactured to the requirements of EN 50262.



NYLON METRIC CABLE GLANDS

PART NUMBERS:

PART NO.	THREAD SIZE	TD (hole size mm)	TL (length of thread)	CABLE RANGE MIN-MAX (mm)	PACK QTY.
EPN 250/M12	M12x1.5	12.0	8.0	3.0-6.5	1
EPN 250/M16	M16x1.5	16.0	10.0	5.0-10.0	1
EPN 250/M16L	M16x1.5	16.0	15.0	5.0-10.0	1
EPN 250/M20S	M20x1.5	20.0	10.0	5.0-9.0	1
EPN 250/M20LS	M20x1.5	20.0	15.0	5.0-9.0	1
EPN 250/M20	M20x1.5	20.0	10.0	6.0-12.0	1
EPN 250/M20L	M20x1.5	20.0	15.0	6.0-12.0	1
EPN 250/M25	M25x1.5	25.0	10.0	13.0-18.0	1
EPN 250/M25S	M25x1.5	25.0	10.0	13.0-18.0	1
EPN 250/M25L	M25x1.5	25.0	15.0	13.0-18.0	1
EPN 250/M32	M32x1.5	32.0	18.0	16.0-25.0	1
EPN 250/M40	M40x1.5	40.0	18.0	22.0-32.0	1
EPN 250/M50	M50x1.5	50.0	18.0	30.0-38.0	1
EPN 250/M63	M63x1.5	63.0	18.0	34.0-44.0	1



NYLON METRIC CABLE GLANDS

PART NUMBERS:

PART NO.	THREAD SIZE	DEPTH (mm)	PACK QTY.
EPN 350/M12	M12 x 1.5	5.0	1
EPN 350/M16	M16 x 1.5	5.0	1
EPN 350/M20	M20 x 1.5	6.0	1
EPN 350/M25	M25 x 1.5	6.0	1
EPN 350/M32	M32 x 1.5	7.0	1
EPN 350/M40	M40 x 1.5	7.0	1
EPN 350/M50	M50 x 1.5	8.0	1
EPN 350/M63	M63 x 1.5	8.0	1



Tel: +44(0) 1793616700 • Fax: +44(0) 1793 644304
uksales@is-rayfast.com • export@is-rayfast.com

www.is-rayfast.com

2 Lydiard Fields, Swindon, Wiltshire, SN5 8UB

